



Solve 9211

Safety Data Sheet

Date Issued: 09/08/2016

Date Revised: 09/08/2016

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: Solve 9211
Company Identification: WaterSolve, LLC
5031 68th Street
Caledonia, Michigan 49316, USA www.gowatersolve.com

For Product Information: 616-575-8693
For Chemical Emergency Spill, Leak, Fire, Exposure, or Accident
Call CHEMTREC Day or Night
Within USA and Canada: 1-800-424-9300
Outside USA and Canada: +1 703-527-3887 (collect calls accepted)

Recommended use of the chemical and restrictions on use
29 CFR 1910.1200 (OSHA HazCom 2012)

2. HAZARDS IDENTIFICATION

GHS Classification

Skin irritation: Category 2
Specific target organ
Systemic toxicity-single
Exposure: Category 3 (Central nervous system)

GHS Label element

Hazard pictograms:



Signal word:

Hazardous statements:

Precautionary Statements:

Warning

Causes skin irritation. May cause drowsiness or dizziness.

Prevention:

Avoid breathing dust/fume/gas/mist/vapors/spray
Wash skin thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves.

Response:

IF ON SKIN: Wash with plenty of soap and water.
IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.
If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse.

Storage: Store in a well-ventilated place. Keep container tightly closed. Store locked up.

Disposal: Dispose of contents/container to an approved waste disposal plant.

Other hazards: None known.

3. **COMPOSITION/INFORMATION ON INGREDIENTS**

Substance/Mixture: Mixture
Chemical nature: Defatter

Hazardous components

Chemical Name	CAS#	Classification	CONCENTRATION %
ALIPHATIC HYDROCARBON	254504001-5164	Flam Liq. 4; H227 Skin Irrit. 2; H315 STOT SE 3; H336	> = 20.00 - <30.00

Trade Secret composition-conceal identity + concentration

4. **FIRST AID MEASURES**

General Advice: Move out of dangerous area. Call a POISON CENTER or doctor/physician if exposed or you feel unwell. Show this safety data sheet to the doctor in attendance. Symptoms of poisoning may appear several hours later. Do not leave the victim unattended.

If swallowed: Obtain medical attention.. Do not give milk or alcoholic beverages. Never give anything by mouth to a drowsy or unconscious person. If symptoms persist, call a physician.

In case of Skin Contact: Remove contaminated clothing and shoes without delay. It is recommended that exposed areas be cleaned by washing with water. Do not reuse contaminated clothing without laundering. Get medical attention if irritation develops or persists.

In case of Eye Contact: In the case of contact with eyes, rinse immediately with plenty of water. Remove contact lenses. Protect unharmed eye. If eye irritation persists, consult a specialist.

If Inhalation: Move to fresh air. If breathed in, move person into fresh air. If unconscious place in recovery position and seek medical advice. Consult a physician after significant exposure.

Most important symptoms and effects, both acute and delayed:

- Inhalation of high concentrations of this material, as could occur in enclosed spaces or during deliberate abuse, may be associated with cardiac arrhythmias. Sympathomimetic drugs may initiate cardiac arrhythmias in persons exposed to this material.
- This material is an aspiration hazard. Potential danger from aspiration must be weighed against possible oral toxicity (See Section 2 – Swallowing) when deciding whether to induce vomiting.
- Signs and symptoms of exposure to this material through breathing, swallowing, and/or passage of the material through the skin may include: stomach or intestinal upset (nausea, vomiting, diarrhea), irritation (nose, throat, airways), lung irritation, drowsiness, confusion, irregular heartbeat, convulsions. Causes skin irritations. May cause drowsiness or dizziness.

Notes to physician: No hazards which require special first aid measures.

5. **FIRE FIGHTING MEASURES**

Suitable Extinguishing Media: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Water spray, foam

Unsuitable extinguishing media: High volume water jet.

Specific hazards during firefighting:

Do not allow run-off from firefighting to enter drains or water courses.

Hazardous combustion products:

Carbon dioxide and carbon monoxide, Nitrogen oxides (NOx), hydrocarbons

Specific extinguishing methods: Product is compatible with standard fire-fighting agents.

Keep containers cool by spraying with water if exposed to fire.

Further information: When product is wet it causes a danger for slipping. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Special Protective Equipment for fire-fighters:

Firefighters, and others exposed, wear self-contained breathing apparatus and protective suit.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures:

Use personal protective equipment. Ensure adequate ventilation. Avoid dust formation. Avoid breathing dust. Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed. Material can create slippery conditions.

Environmental precautions:

Do not let product enter drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities. Do not flush into surface water or sanitary sewer system. Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up:

Keep in suitable, closed containers, for disposal. Soak up with inert absorbent material, (e.g. sand, silica gel, acid binder, universal binder, sawdust).

Other information:

Comply with all applicable federal, state and local regulations.

7. HANDLING AND STORAGE

ADVICE ON SAFE HANDLING:

This material is slippery when wet. Avoid dust formation. Provide sufficient air exchange and /or exhaust in work rooms. Do not breathe vapors/dust. Avoid exposure-obtain special instructions before use. Avoid contact with skin and eyes. Containers are hazardous when empty. Do not smoke. Avoid contact with skin and eyes. Eating, drinking or smoking should be prohibited in the application area. For personal protection (see Section 8). Dispose of rinse water in accordance with local and state and national regulations. Keep away from heat and sources of ignition. Handle in accordance with local, state and national regulations. Practice good industrial hygiene and safety practices.

CONDITIONS FOR SAFE STORAGE:

Keep container tightly closed in a dry and well-ventilated place. Keep away from food and drink. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. Electrical installations/working materials must comply with the technological safety standards.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

COMPONENTS	CAS-No.	Value type (form of exposure)	Control parameters/permissible concentration	Basis
ALIPHATIC HYDROCARBON	254504001-5164	TWA	200 mg/m ³ Non- aerosol (as total hydrocarbon vapor)	ACGIH
		REL	100 mg/m ³	NIOSH/GUIDE

Engineering measures:

Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure levels below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects. Provide appropriate exhaust ventilation at places where dust is formed.

Personal protective equipment:

Respiratory protection: In the case of dust or aerosol formation use respirator with an approved filter.

Hand protection: Remarks The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection

Wear tightly fitting splash-proof safety goggles and face-shield when there is a potential for exposure to the eyes or face to liquid, vapor or mist. Ensure that eyewash stations and safety showers are close to the workstation location.

Skin and body protection

Wear resistant gloves and appropriate impervious clothing, safety shoes. Choose body protection according to the amount and concentration of the dangerous substances at the work place. Launder clothing before reuse. Discard gloves that show tears, pinholes, or signs of wear. Wear resistant gloves (consult your safety equipment supplier).

Hygiene measures: Avoid breathing dust. General industrial hygiene practice. Wash hands before breaks and at the end of the workday. When using do not eat, drink or smoke when using this product.

9. **PHYSICAL AND CHEMICAL PROPERTIES**

General Information

Physical state:	liquid
Appearance:	viscous
Color:	White
Odor:	No data available
Odour threshold:	No data available
pH:	No data available
Melting point/freezing point:	No data available
Boiling Point boiling range:	217°F/103°C
Flash point:	Do not flash
Evaporation Rate:	No data available
Flammability (liquids):	Static accumulating liquid
Flammability (solid, gas):	No data available
Explosive properties Upper Limits:	No data available
Lower limits:	No data available
Vapor Pressure:	No data available
Relative vapor density:	No data available
Relative density:	No data available
Density:	1.03 g/cm ³ (25 °C)
Solubility in Water:	No data available
Solubility in other solvents:	No data available
Partition coefficient (n-octanol/water):	No data available
Thermal decomposition:	No data available
Viscosity, dynamic	< 4,000 mPa.s (20 °C)
Viscosity, kinematic	> 7 mm ² /s @ (40°C)
Oxidizing properties:	No data available

10. **STABILITY AND REACTIVITY**

Reactivity:	No decompositions if stored and applied as directed.
Chemical Stability:	Stable under recommended storage conditions.
Possibility of Hazardous reactions:	Product will not undergo hazardous polymerization.
Conditions to avoid:	Keep away from heat, flames and sparks and other ignition sources.

Incompatible Materials: Strong reducing agents, strong oxidizers agents
Hazardous decomposition products: Carbon dioxide, carbon monoxide, nitrogen oxides, hydrocarbons

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure: Inhalation, skin contact, eye contact, ingestion
Acute toxicity: Not classified based on available information.

Components:

ALIPHATIC HYDROCARBON:

Acute oral Toxicity: LD 50 Rat: > 5,000 mg/kg
Acute inhalation toxicity: LD 50 Rat, male and female: > 5.28 mg/l
Exposure time: 4 hr.
Test atmosphere: vapour
Method: OECD Test Guideline 403

Assessment: No adverse effect has been observed in acute inhalation toxicity tests.

Acute dermal toxicity: LD 50 Rabbit: > 2,000 mg/kg

Assessment: No adverse effect has been observed in acute dermal toxicity tests.

ALCOHOLS ALKOXYLATES:

Acute oral toxicity: LD 50 Rat: 1380 mg/kg

Skin corrosion/irritation:

Product: Causes skin irritation.
Result: Possibly irritating to skin. Repeated exposure may cause skin dryness or cracking.
Remarks: May cause skin irritation and /or dermatitis.

Components:

ALIPHATIC HYDROCARBON:

Serious eye damage/eye irritation: Mildly irritating to skin.
Product: Not classified based on available information.
Remarks: Product dust may be irritating to eyes, skin and respiratory system.

Components:

ALIPHATIC HYDROCARBON:

Respiratory or skin sensitization: Mildly irritating to eyes.
Skin sensitization:
Not classified based on available information
Respiratory sensitization:
Not classified based on available information
Germ cell mutagenicity: Not classified based on available information
Carcinogenicity: Not classified based on available information
Reproductive toxicity: Not classified based on available information
STOT – single exposure: May cause drowsiness or dizziness.

Components:

ALIPHATIC HYDROCARBON:

STOT – repeated exposure: May cause drowsiness or dizziness.
Aspiration toxicity: Not classified based on available information
Not classified based on available information

Further information

Product: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting. Concentrations substantially above the TLV value may cause narcotic effects. Solvents may degrease the skin.

Carcinogenicity:

IARC: No component of this product presents at levels greater than or equal to 0.1 % is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1 % is identified as carcinogen or potential carcinogen by OSHA.

NTP: No component of this product presents at levels greater than or equal to 0.1 % is identified as a known or anticipated carcinogen by NTP.

12. **ECOLOGICAL INFORMATION**

Ecotoxicity

Product:

Ecotoxicity Assessment Acute aquatic toxicity:

Acute aquatic toxicity Category 2; Toxic to aquatic life.

Chronic aquatic toxicity:

Chronic aquatic toxicity Category 2; Toxic to aquatic life with long lasting effects.

Components:

ALIPHATIC HYDROCARBON:

Toxicity to fish: LC 50 Rainbow trout (*Oncorhynchus mykiss*) 2 - 5 mg/l
Exposure time: 96hr. Test Method: semi-static test
Test substance: WAF Method: OECD Test Guideline 203

The information given is based on data obtained from similar substances.

Toxicity of daphnia and other

Aquatic invertebrates: EL 50 Water flea (*Daphnia magna*): 1.4 mg/l
Exposure time: 48hr. Test Method: static test
Test substance: WAF Method: OECD Test Guideline 202

The information given is based on data obtained from similar substances.

Toxicity to Algae: EL50 green algae (*Pseudokirchneriella subcapitata*): >1-3 mg/l
Exposure time: 72hr. Test Method: static test
Test substance: WAF Method: OECD Test Guideline 201

The information given is based on data obtained from similar substances.

Toxicity of daphnia and other Aquatic invertebrates (Chronic toxicity) :

NOEL: Species: Water flea (*Daphnia magna*): 0.48 mg/l
Exposure time: 21 d Test Method: semi-static test
Test substance: WAF Method: OECD Test Guideline 211

The information given is based on data obtained from similar substances.

Persistence and degradability

Components:

ALIPHATIC HYDROCARBON:

Biodegradability: Result: Inherently biodegradable
Biodegradation: 58.6% Exposure time: 28 days
Method: OECD Test Guideline 301F

Bioaccumulative potential

Components:

No data available

Mobility in soil

Components:

No data available

Other adverse effects:

No data available

Components:

No data available

Product:

Additional ecological information:

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Toxic to aquatic life with long lasting effects.

Components:

13. DISPOSAL CONSIDERATIONS

Disposal methods

General Advice: The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of in accordance with all applicable local, state and federal regulations. Sent to a licensed waste management company.

Contaminated packaging: Empty remaining contents. Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers.

14. TRANSPORT INFORMATION

International Transport Regulations

ID NUMBER	PROPER SHIPPING NAME	*HAZARD CLASS	SUBSIDIARY HAZARDS	PACKING GROUP	MARINE POLLUTANT /LTD. QTY.
U.S. DOT -ROAD					Not dangerous goods
U.S. DOT - RAIL					Not dangerous goods
U.S. DOT – INLAND WATERWAYS					Not dangerous goods
TRANSPORT CANADA - ROAD					Not dangerous goods
TRANSPORT CANADA - RAIL					Not dangerous goods
TRANSPORT CANADA – INLAND WATERWAYS					Not dangerous goods
INTERNATIONAL MARITIME DANGEROUS GOODS					Not dangerous goods
INTERNATIONAL AIR TRANSPORT ASSOC. - CARGO					Not dangerous goods
INTERNATIONAL AIR TRANSPORT ASSOC. - PASSENGER					Not dangerous goods
MEXICAN REGULATION FOR THE LAND TRANSPORT OF HAZARDOUS MATERIALS AND WASTES					Not dangerous goods
*ORM = ORM-D, CBL=COMBUSTIBLE LIQUID					
Marine pollutant					Yes

Dangerous goods description (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for description that are specific to the shipment.

15. REGULATORY INFORMATION

SARA 311/312 Hazards: Acute Health Hazard

SARA 313 Components

SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

California Prop. 65-WARNING! This product contains a chemical known to the State of California to cause cancer.

79-06-1	Not Assigned
50-00-0	Not Assigned
75-21-8	Not Assigned

The components of this product are reported in the following inventories:

TSCA:	On TSCA Inventory
DSL:	This product contains one or more components that are not on the Canadian DSL and have annual quantity limits .
AUSTR:	On the inventory, or in compliance with the inventory.
ENCS:	Not in compliance with the inventory.
KECL:	On the inventory, or in compliance with the inventory.
PHIL:	Not in compliance with the inventory.
IECSC:	On the inventory, or in compliance with the inventory.

Inventories:

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), PICCS (Philippines), TSCA (USA)

Registration: Trade Secret

Chemical Name	Identification number
ALIPHATIC HYDROCARBON	254504001-5164

16. OTHER INFORMATION**Full text of H-Statements referred to under Section 3.**

H315	Causes skin irritation.
H336	May cause drowsiness or dizziness.

DATE ISSUED: 09/08/2016**DATE REVISED: 09/08/2016**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This information is for the specific material described only and may not be valid if the material is used in combination with any other materials or in any process. The user is responsible to determine the completeness of the information and suitability for the user's own particular use. The knowledge and belief of the company, the information is accurate and reliable as of the date indicated but the company makes no express or implied warranty of merchantability for the material or the information. The company makes no express or implied warranty of fitness for a purpose for the material or for the information. Users of any chemical should educate themselves on all aspects of its use by independent investigation of current scientific and medical knowledge that the material can be used safely. Both the supplier and manufacturer make no representations and assume no liability for any direct, incidental or consequential damages resulting from its use. Both the supplier and manufacturer make no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This information is for the specific material described only and may not be valid if the material is used in combination with any other materials or in any process. The user is responsible to determine the completeness of the information and suitability for the user's own particular use. Users of any chemical should educate themselves on all aspects of its use by independent investigation of current scientific and medical knowledge that the material can be used safely. The buyer assumes all responsibility for using and handling the product in accordance with applicable federal, state and local regulations.

List of abbreviations and acronyms that could be, but not necessarily are, used in the safety data sheet:

ACGIH: American Conference of Industrial Hygienists

BEI: Biological Exposure Index
CAS: Chemical Abstracts Service (Division of the American Chemical Society)
CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act
CMR: Carcinogenic, Mutagenic or Toxic for Reproduction
DOT: Department of Transportation
FG: Food grade
FIFRA: Federal Insecticide, Fungicide, and Rodenticide Act
GHS: Globally Harmonized System of Classification and Labeling of Chemicals
H-statement: Hazard Statement
HMIRC: Hazardous Materials Information Review Commission
HMIS: Hazardous Materials Identification System
IATA: International Air Transport Association
IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA)
ICAO: International Civil Aviation Organization
ICAO-TI (ICAO): Technical Instructions by the "International Civil Aviation Organization"
IMDG: International Maritime Code for Dangerous Goods
ISO: International Organization for Standardization
logPow: octanol-water partition coefficient
LCxx: Lethal Concentration, for xx percent of test population
LDxx: Lethal Dose, for xx percent of test population
ICxx: Inhibitory Concentration for xx of a substance
ECxx: Effective Concentration of xx
N.O.S.: Not otherwise Specified
NFPA: National Fire Protection Association
NIOSH: National Institute for Occupational Safety and Health
OECD: Organization for Economic Co-operation and Development
OEL: Occupational Exposure Limit
OSHA: Occupational Safety and Health Administration
P-Statement: Precautionary Statement
PBT: Persistent, Bioaccumulative and Toxic
PMRA: Health Canada Pest Management Regulatory Agency
PPE: Personal Protective Equipment
RTK: Right to Know
STEL: Short-term exposure limit
SDS Safety Data Sheet
STOT: Specific Target Organ Toxicity
TLV: Threshold Limit Value
TWA: Time-weighted average
VPVB: Very Persistent and Very Bioaccumulative
WEL: Workplace Exposure Level
WHMIS: Workplace Hazardous Materials Information System
(WAF): water-accommodated fraction