



Solve 411

Safety Data Sheet

Date Issued: 03/30/2016

Date Revised: 03/30/2016

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND THE COMPANY/UNDERTAKING

PRODUCT NAME: **SOLVE 411**

Use of the Substance/mixture: Sludge dewatering, flocculation of solids.

Recommended restrictions on use:

COMPANY: **WaterSolve, LLC, 5031 68th St. S.E. Caledonia, MI 49316, USA**

For Product information call 616-575-8693. www.gowatersolve.com

For Chemical Emergency **Spill, Leak, Fire, Exposure, or Accident**

Call CHEMTREC Day or Night

Within USA and Canada: 1-800-424-9300

Outside USA and Canada: +1 703-527-3887 (collect calls accepted)

2. HAZARDS IDENTIFICATION

Product is extremely slippery when spilled

Classification of the substance or mixture

The material is not hazardous under the criteria of the Federal OSHA Hazard Communication Standard's (29CFR 1910.1200) implementation of the Globally Harmonized System (GHS), i.e., material is not a dangerous substance or mixture requiring GHS classification according to the US GHS regulations.

GHS-Labeling: Product is not hazardous under US GHS.

Other hazards which do not result in classification

Advice: Solutions extremely slippery when spilled. The health hazards of this product should be low under normal industrial and commercial uses.

Physical/Chemical Hazard: Spills are very slippery.

Eyes: May cause eye slight irritation.

Skin: Repeated or prolonged exposure may cause slight irritation.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substances/Mixtures

Chemical nature

Aqueous solution of Polymeric quaternary Amine.

No hazardous ingredients

4. FIRST AID MEASURES

Description of first aid measures

General advice: Show this safety data sheet to the doctor in attendance.

Ingestion: Material is not expected to be harmful by ingestion. No hazards which require special first aid measures.

Skin contact: Wash immediately with plenty of soap and water. Do not reuse contaminated clothing without laundering.

Eye contact: Rinse immediately and thoroughly with plenty of water for at least 15 minutes, also under eyelids. If eye irritation persists, consult a specialist.

Inhalation: Move to fresh air. No hazards which require special first aid measures.

Most important symptoms and effects, both acute and delayed.

5. **FIRE FIGHTING MEASURES**

Suitable Extinguishing Media: Use water mist, carbon dioxide or dry chemical.

Unsuitable extinguishing media: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Special hazards arising from the substance or mixture: Contaminated surfaces will be extremely slippery.

Special protective actions for fire-fighters: Firefighters, and others exposed, wear self-contained breathing apparatus. Wear full firefighting protective clothing. Use NIOSH/MSHA approved respiratory protections. For personal protection see Section 8. Product is very slippery when spilled.

Further information: In the event of fire, cool containers/tanks with water spray.

6. **ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. For personal protection see Section 8.

Environmental precautions

Prevent undiluted product from entering the environment.

Methods and materials for containment and cleaning up

Sweep up to prevent slipping hazard. Spills are very slippery. Soak up with inert absorbent material. Sweep up and shovel into suitable container for disposal. Remove residues by scrubbing. Prevent product from entering drains.

Additional advice

Contaminated surfaces will be extremely slippery.

7. **HANDLING AND STORAGE**

Precautions for safe handling

Handle in accordance with good industrial hygiene and safety practice. See Section 8 for more information.

Conditions for safe storage, including any incompatibilities

Store at room temperature. To avoid product degradation and equipment corrosion, do not use iron, copper or aluminum containers or equipment.

Material to avoid: Strong oxidizing agents, iron, copper, aluminum, strong acids

Storage stability:

Storage period: 24 months

Storage temperature: 32 - 95°F

Other data: Stable under recommended storage conditions.

8. **EXPOSURE CONTROLS/PERSONAL PROTECTION**

Components with workplace control parameters

Components	CAS-No.	Value	From of exposure	Control parameters	Update	Basis
------------	---------	-------	------------------	--------------------	--------	-------

Contains no substances with occupational exposure limit values.

Appropriate Engineering controls:

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eye and clothing. Wash hands and face before breaks and immediately after handling the product. Do not eat, drink or smoke when using this product. Ensure that eyewash stations and safety showers are close to the workstation location. Do not breathe vapour. Ensure adequate ventilation.

Individual protection measures, such as personal protective equipment

Respiratory protection: Respiratory protection is not required under normal handling conditions. In case of insufficient ventilation, wear suitable respiratory equipment. Use respiratory protection if necessary. Use NIOSH/MSHA approved respiratory protections.

Hand protection

Glove material: Imperious gloves. Permeability tests are not available for this product. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.

Eye protection: If eye contact is likely to occur, wear eye/face protection such as chemical splash proof goggles or face shield. Eyewash equipment and safety shower should be provided in areas of potential exposure.

Skin protection: Protective clothing.

Environmental exposure controls: No data available.

Additional Advice: Food, beverages, and tobacco products should not be carried, stored, or consumed where this material is in use. Before eating, drinking, or smoking, wash face and hands thoroughly with soap and water.

9. **PHYSICAL AND CHEMICAL PROPERTIES**

Information on basic physical and chemical properties

Physical state:	liquid
Color:	colorless, amber
Odor:	amine-like
pH:	5 - 8
Melting Point Range:	-18°C
Initial boiling point/range:	ca. 212°F
Flash point:	> 199.4°F
Explosive properties	
Lower explosion limit	No data available
Upper explosion limit	No data available
Density:	1.03 – 1.05 g/cm ³
Water solubility (ies):	completely soluble
Partition coefficient:	
n-octanol/water:	No data available
Oxidizing potential:	The substance or mixture is not classified as oxidizing.
Surface tension:	Not determined

10. **STABILITY AND REACTIVITY**

Reactivity /Chemical stability

Possibility of hazardous reactions

Hazardous reactions: Hazardous polymerization does not occur.

Conditions to avoid

Conditions to avoid: No data available

Incompatible materials

Material to avoid: Strong oxidizing agents, iron, copper, aluminum, strong acids

Hazardous decomposition products

Hazardous decomposition

Products: Carbon dioxide
Carbon monoxide
Ammonia
Nitrogen oxides (NOx)
Hydrogen chloride
Dimethylamine

11. **TOXICOLOGICAL INFORMATION**

Information on toxicological effects

Acute oral toxicity:	LD50/Rat/10,000 mg/kg
Acute inhalation toxicity:	LC50/Rat/4h/> 20mg Remarks: estimated
Acute dermal toxicity:	LD50/Rabbit/10,000 mg/kg
Skin corrosion/irritation:	Result: No skin irritation.
Serious eye damage /eye irritation	Result: No eye irritation.
Respiratory or skin sensitization	
Skin sensitization:	Conclusion: Not sensitizing.
Carcinogenicity	
Reproductive toxicity	
Toxicity for reproduction	Conclusion: Based on available data, the classification criteria are not met.

12. **ECOLOGICAL INFORMATION**

Ecotoxicity effects

Aquatic toxicity

Remarks: Ecotoxicological information provided is based on a structurally or compositionally similar product.

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

LC 50/96hr Zebra Fish (brachydanio rerio) 10 - 100 mg/l (OECD 203) Remarks: fresh water

EC 50/48hr Water Flea (Daphnia magna)/Immobilization/OECD Test Guideline 202: >10-100 mg/l

IC50/72hr. /Green algae (Pseudokirchneriella subcapitata/Growth inhibition/OECD Test Guideline 201: >10 – 100 mg/l

Toxicity to other organisms

No data available

Persistence and degradability

Biological degradability:

Remarks: Ecotoxicological information provided is based on a structurally or compositionally similar product.

Modified Sturm Test/OECD Test Guideline 301B/28d: < 70%

Not readily biodegradable.

Bioaccumulative potential

Remarks: Because of the high molecular weight of the polymer diffusion through biological membranes is very small. The product is not expected to bioaccumulate.

Partition coefficient: n-octanol/water: No data available

Mobility in soil

Water solubility: completely soluble.

Surface tension: not determined

Other adverse effects

No data available

13. **DISPOSAL CONSIDERATIONS**

Product

Where possible recycling is preferred to disposal or incineration. In accordance with local and national regulations. EPA Hazardous Waste- NO

14. **TRANSPORT INFORMATION**

Land transport

Not classified as dangerous in the meaning of transport regulations.

Sea Transport

Not classified as dangerous in the meaning of transport regulations.

Air transport

Not classified as dangerous in the meaning of transport regulations.

Special precautions for user

15. **REGULATORY INFORMATION**

Safety, health and environmental regulations/legislation specific for the substance or mixture

SARA Title III Section 311 Categories:

No SARA Hazards

SARA 302 Extremely Hazardous Substances

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

None present ()

SARA 313 – Specific Toxic Chemical Listings

The material does not contain any chemical components with known CAS numbers that exceed the threshold (DeMinimis) reporting levels established by SARA Title III, Section 313.

None present ()

California Proposition 65

Trisodium nitriloacetate (5064-31-3) < 0.3 PPM

Other regulations: None

Notification status:

USA: All components of this product are included on the TSCA Chemical Inventory or are not required to be listed on the TSCA Chemical Inventory.

Canada: All components of this product are included on the Domestic Substances List (DSL) or are not required to be listed on the DSL

European Union (EU): All components of this product are included on the European Inventory of Existing Chemical Substances (EINECS) or are not required to be listed on EINECS.

Australia: All components of this product are included in the Australian Inventory Of Chemical Substances (AICA) or are not required to be listed on AICS.

Japan: All components of this product are included in the Japanese (ENCS) inventory or are not required to be listed on the (ENCS).

Korea: All components of this product are included on the Korean (ECL) inventory or are not required to be listed.

New Zealand: This product's New Zealand Inventory of Chemical Substances (NZIoC) status has NOT been determined.

Philippines: All components of this product are NOT included on the Philippine (PICCS) inventory.

Taiwan: This product's Taiwan Toxic Chemical Substances Control Act Inventory status has NOT been determined.

15. **OTHER INFORMATION**

NFPA HAZARD RATING (National Fire Protection Association)

Health 1-

Fire 0 – Materials that must be preheated before ignition can occur.

Reactivity 0 –Materials that in themselves are normally stable, even under fire exposure conditions.

HMIS Rating:

Health: 1

Flammability: 0

Reactivity: 0

Training advice

Read the safety data sheet before using this product.

DATE REVISED: 03/30/2015

Revision number: 0

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This information is for the specific material described only and may not be valid if the material is used in combination with any other materials or in any process. The user is responsible to determine the completeness of the information and suitability for the user's own particular use. The knowledge and belief of the company, the information is accurate and reliable as of the date indicated but the company makes no express or implied warranty of merchantability for the material or the information. The company makes no express or implied warranty of fitness for a purpose for the material or for the information. Users of any chemical should educate themselves on all aspects of its use by independent investigation of current scientific and medical knowledge that the material can be used safely. Both the supplier and manufacturer make no representations and assume no liability for any direct, incidental or consequential damages resulting from its use. Both the supplier and manufacturer make no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This information is for the specific material described only and may not be valid if the material is used in combination with any other materials or in any process. The user is responsible to determine the completeness of the information and suitability for the user's own particular use. Users of any chemical should educate themselves on all aspects of its use by independent investigation of current scientific and medical knowledge that the material can be used safely. The buyer assumes all responsibility for using and handling the product in accordance with applicable federal, state and local regulations.

List of abbreviations and acronyms that could be, but not necessarily are, used in the safety data sheet:

ACGIH: American Conference of Industrial Hygienists

BEI: Biological Exposure Index

CAS Chemical: Abstracts Service (Division of the American Chemical Society)

CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act

CMR: Carcinogenic, Mutagenic or Toxic for Reproduction

DOT: Department of Transportation

FG: Food grade

FIFRA: Federal Insecticide, Fungicide, and Rodenticide Act

GHS: Globally Harmonized System of Classification and Labeling of Chemicals

H-statement: Hazard Statement

HMIRC: Hazardous Materials Information Review Commission

HMIS: Hazardous Materials Identification System

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI (ICAO): Technical Instructions by the "International Civil Aviation Organization"

IMDG: International Maritime Code for Dangerous Goods

ISO: International Organization for Standardization

logPow: octanol-water partition coefficient

LCxx: Lethal Concentration, for xx percent of test population

LDxx: Lethal Dose, for xx percent of test population

ICxx: Inhibitory Concentration for xx of a substance

ECxx: Effective Concentration of xx

N.O.S.: Not otherwise specified

NFPA: National Fire Protection Association

NIOSH: National Institute for Occupational Safety and Health

OECD: Organization for Economic Co-operation and Development

OEL: Occupational Exposure Limit

OSHA: Occupational Safety and Health Administration

P-Statement: Precautionary Statement

PBT: Persistent, Bioaccumulative and Toxic

PMRA: Health Canada Pest Management Regulatory Agency

PPE: Personal Protective Equipment
RTK: Right to Know
SDS: Safety Data Sheet
STEL: Short-term exposure limit
STOT: Specific Target Organ Toxicity
TLV: Threshold Limit Value
TWA: Time-weighted average
VPVB: Very Persistent and Very Bioaccumulative
WEL: Workplace Exposure Level
WHMIS: Workplace Hazardous Materials Information System