



Solve 1823

Safety Data Sheet

Date Issued: 04/07/2015

Date Revised: 04/07/2015

1. IDENTIFICATION OF SUBSTANCE/MIXTURE AND OF COMPANY/UNDERTAKING

PRODUCT NAME: **SOLVE 1823**

Use of the Substance/mixture: Flocculating agent.

Recommended restrictions on use:

COMPANY: **WaterSolve, LLC, 5031 68th St. S.E. Caledonia, MI 49316, USA**

For Product information call 616-575-8693.

For Chemical Emergency **Spill, Leak, Fire, Exposure, or Accident**

Call **CHEMTREC Day or Night**

Within USA and Canada: 1-800-424-9300

Outside USA and Canada: +1 703-527-3887 (collect calls accepted)

2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

The material is not hazardous under the criteria of the Federal OSHA Hazard Communication Standard's (29CFR 1910.1200) implementation of the Globally Harmonized System (GHS), i.e., material is not a dangerous substance or mixture requiring GHS classification according to the US GHS regulations.

GHS-Labeling: Product is not hazardous under US GHS.

Other hazards which do not result in classification

Advice: Contaminated surfaces will be extremely slippery.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substances/Mixtures

Chemical nature

Cationic polyacrylamide, emulsion.

Hazardous components

CHEMICAL NAME	CAS-NO.	CONCENTRATION %
Distillates (petroleum), hydrotreated light	064742-47-8	15 - 17 %

4. FIRST AID MEASURES

Description of first aid measures

General Advice: Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.

Ingestion: If swallowed, call a poison control center or doctor immediately. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Obtain medical attention.

Skin contact: Take off contaminated clothing and shoes immediately. Wash off immediately with plenty of water. Do not reuse contaminated clothing without laundering. If a person feels unwell or symptoms of skin irritation appear, consult a physician.

Eye contact: Rinse immediately and thoroughly with plenty of water for at least 15 minutes, also under eyelids. Keep eyes wide open when rinsing. Consult a physician if necessary.

Inhalation: Remove to fresh air. If breathing is difficult, give oxygen. If symptoms persists, call a physician.

Most important symptoms and effects, both acute and delayed.

5. **FIRE FIGHTING MEASURES**

Suitable Extinguishing Media: Use water spray, carbon dioxide, or dry chemical. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media: none

Special Hazards arising from the substance or mixture: Contaminated surfaces will be extremely slippery. Burning may produce toxic and irritant gases.

Special protective actions for fire-fighters: Firefighters, and others exposed, wear self-contained breathing apparatus and protective suit. Wear full firefighting protective clothing. Use NIOSH/MSHA approved respiratory protection. For personal protection see Section 8.

Further information: In the event of fire, cool containers/tanks with water spray.

6. **ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes and clothing. Where the exposure level is not known, wear approved, positive pressure, self-contained respirator. Where the exposure level is known, wear approved respirator suitable for the level of exposure. For personal protection refer to Section 8 (Exposure Controls/Personal Protection) for appropriate personal protective equipment. Use chemical resistant boots.

Environmental precautions

Discharge into the environment must be avoided. Prevent product from entering drains or water courses.

Methods and materials for containment and cleaning up

Sweep up to prevent slipping hazard. Hazard of slipping on spilt product. Soak up with inert absorbent material. Shovel into suitable container for disposal. After cleaning, flush away traces with water. Use detergent if needed.

7. **HANDLING AND STORAGE**

Precautions for safe handling

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with eyes, skin and clothing. Wash thoroughly after handling.

Advice on protection against fire and explosion:

Normal measures for preventive fire protection.

Conditions for safe storage, including any incompatibilities

Store at room temperature. To avoid product degradation and equipment corrosion, do not use iron, copper or aluminum containers or equipment.

Materials for packaging:

Unsuitable material: To avoid product degradation and equipment corrosion, do not use iron, copper or aluminum containers or equipment.

Material to avoid:

Strong oxidizing agents. To avoid product degradation and equipment corrosion, do not use iron, copper or aluminum containers or equipment.

Storage stability:

Storage temperature: 40.1 – 90.0 °F

Other data: Reason: integrity

8. **EXPOSURE CONTROLS/PERSONAL PROTECTION**

Components with workplace control parameters

Components	CAS-No.	Value	From of exposure	Control parameters	Update	Basis
Distillates (petroleum), hydrotreated light	64742-47-8	TWA		200 mg/m ³	2006-11-29	CA BC OEL
		TWA		197 ppm 1,200 mg/m ³		

Appropriate Engineering controls:

Handle only in a place equipped with local exhaust (or other appropriate exhaust). Avoid contact with skin, eye and clothing. Do not breathe vapours, aerosols. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing before re-use. Handle in accordance with good industrial hygiene and safety practice. Wash hands before eating, drinking, or smoking. Wash hands before breaks and immediately after handling the product. Ensure adequate ventilation. Ensure that eyewash stations and safety showers are close to workstation location. Keep away from tobacco products.

Individual protection measures, such as personal protective equipment

Respiratory protection:

Where exposures are below the established exposure limit, no respiratory protection is required. Where there is a potential for airborne exposures in excess of applicable limits, wear NIOSH/MSHA approved respiratory protection.

Hand protection

Glove material; Chemical resistant gloves. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Gloves should be removed and replaced immediately if there is any indication of degradation or chemical breakthrough. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.

Eye protection:

Tightly fitting safety goggles. Ensure that eyewash equipment and safety shower are close to the workstation location.

Skin protection:

Avoid skin contact. Chemical resistant protective clothing, including long sleeved clothing.

Additional Advice:

Food, beverages, and tobacco products should not be carried, stored, or consumed where this material is in use. Before eating, drinking, or smoking, wash face and hands thoroughly with soap and water.

Environmental exposure controls: No data available.

9. **PHYSICAL AND CHEMICAL PROPERTIES**

Information on basic physical and chemical properties

Physical state:	viscous liquid
Odor:	hydrocarbon-like
Color:	opaque, to, greenish, milky, white
Melting point/range:	No data available
Initial Boiling Point/Range:	212 °F (1,013 hPa)
Flash point:	>201°F closed cup (Pensky-Martens)
Evaporation rate:	< 1 (n-butyl acetate=1)
Flammability solid/gas:	The product is not flammable.
Vapor Pressure:	similar to water
Density:	approx.. 1.04 g/cm ³
Relative vapour density:	similar to water
pH:	6 – 8 (as aqueous solution)

Solubility in Water:	Limited by viscosity
Explosive properties	
Limits Lower/Upper):	Not available
Decomposition temp:	Not available
Partition coefficient:	
n-octanol/water:	Not applicable
Viscosity, dynamic:	No data available
Viscosity, kinematic:	> 1,000 mm ² /s (40°C)
Oxidizing potential:	The substance or mixture is not classified as oxidizing.
Surface tension:	Not determined

10. STABILITY AND REACTIVITY

Reactivity: stable under recommended storage conditions.

Chemical stability: No decomposition if stored and applied as directed.

Possibility of hazardous reactions

Hazardous reactions: hazardous polymerization does not occur.

Conditions to avoid

Conditions to avoid: Stable under recommended storage conditions.

Incompatible materials

Material to avoid: Strong oxidizing agents
To avoid product degradation and equipment corrosion, do not use iron, copper or aluminum containers or equipment.

Hazardous decomposition products

Hazardous decomposition: Products: Carbon oxides, Ammonia, oxides of nitrogen, hydrogen chloride (HCl)

11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

Acute oral toxicity	Conclusion: The acute toxicological results displayed may not be the results of actual testing of this material but based on a similar tested material. LD50/Rat/> 5,000 mg/kg Remarks: estimated
Acute oral toxicity	Distillates (petroleum), hydrotreated light: LD50/Rat: > 5,000 mg/kg
Acute inhalation toxicity	LC50/rat/4h/>20 mg/l Remarks: estimated
Acute inhalation toxicity	Distillates (petroleum), hydrotreated light: LC50/Rat/4h/ >5.2 mg/l
Acute dermal toxicity	LD50/Rabbit/> 2,000 mg/kg Remarks: estimated
Acute dermal toxicity	Distillates (petroleum), hydrotreated light: LD50/Rabbit/> 2,000 mg/kg
Skin corrosion/irritation	Remarks: The toxicological data has been taken from products of similar composition. Conclusion: Irritating to skin.
Serious eye damage /eye irritation	Remarks: The toxicological data has been taken from products of similar composition. Conclusion: No eye irritation.
Respiratory or skin sensitization	
Skin sensitization	Conclusion: Not sensitizing.
Skin sensitization	Distillates (petroleum), hydrotreated light: Conclusion: This substance is not classified as a sensitizer.
Germ cell mutagenicity Genotoxicity in vitro:	Conclusion: Based on available data, the classification criteria are not met.

Genotoxicity in vitro:	Distillates (petroleum), hydrotreated light: Conclusion: No known effect.
Genotoxicity in vitro:	Distillates (petroleum), hydrotreated light: Conclusion: Not mutagenic
Carcinogenicity Carcinogenicity Carcinogenicity	Based on available data, the classification criteria are not met. Distillates (petroleum), hydrotreated light: Not classified by IARC or NTP.
Reproductive toxicity Toxicity for reproduction: Toxicity for reproduction:	Based on available data, the classification criteria are not met. Distillates(petroleum),hydrotreated light: Conclusion: Did not show teratogenic effects in animal experiments.

12. ECOLOGICAL INFORMATION

Ecotoxicity effects

Aquatic toxicity

LC50/96h/Fathead minnow(*Pimephales promelas*)/ OECD Test Guideline 203: 2.65 mg/l

Remarks: similar product

LC50/48h/Fathead minnow(*Pimephales promelas*)/static test EPA Whole Effluent Toxicity Method 600/4-90/027F: 8.36 – 9.14 mg/l

Remarks: similar product

LD50/96h/Zebra fish (*Branchydanio rerio*)/OECD Test Guideline 203: > 1- 10 mg/l

Remarks: similar product

EC50/48h/Water flea(*Ceriodaphnia dubia*)/OECD Test Guideline 202: 1.92 mg/l

Remarks: Similar product

LC50/48h/Water flea (*Ceriodaphnia dubia*)/static test/EPA Whole Effluent Toxicity Method 600/4-90/027F: 0.81 – 1.32 mg/l

Remarks: similar product

EC50/48h/Water flea(*Daphnia magna*)/Immobilization/OECD Test Guideline 202: > 10 – 100 mg/l

Remarks: Similar product

Toxicity to other organisms: No data available

Persistence and degradability:

Biological degradability:

CO2 Evolution Test/OECD Test Guideline 301B:

Not readily biodegradable. Because of the high molecular weight of the polymer diffusion through biological membranes is very small.

Biochemical Oxygen Demand (BOD): 627 mg/l

Chemical Oxygen Demand (COD): 3,310 mg/l

Bioaccumulative potential: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water: Not applicable

Mobility in soil

Water solubility: Limited by viscosity.

Surface tension: Not determined

Other adverse effects

No data available

Additional ecological information: Ecotoxicological information provided is based on a structurally or compositionally similar product.

13. **DISPOSAL CONSIDERATIONS**

Product

Recycling, recovery and reuse of materials is recommended if permitted by regulations. If recycling is not practicable, dispose of in compliance with local, state, national and international regulations. Incineration is recommended.

EPA Hazardous Waste- NO

Contaminated packaging

Packages that cannot be cleaned must be disposed of the same way as the unused product itself. Must be disposed of in accordance with local, state, national and international regulations.

14. **TRANSPORT INFORMATION**

Land transport

Not classified as dangerous in the meaning of transport regulations.

Sea Transport

Not classified as dangerous in the meaning of transport regulations.

Air transport

Not classified as dangerous in the meaning of transport regulations.

Special precautions for user

None known.

15. **REGULATORY INFORMATION**

Safety, health and environmental regulations/legislation specific for the substance or mixture

SARA Title III Section 311 Categories:

Immediate (Acute) Health Effects: Yes

Delayed (Chronic) Health Effects: No

Fire Hazard: No

Sudden Release of Pressure Hazard: No

Reactivity Hazard: No

SARA 302 Extremely Hazardous Substances

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

None present

SARA 313- Specific Toxic chemical Listings

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

None present.

California Proposition 65

Acrylamide (79-06-1) < 0.1 %

Remarks: This product contains a chemical or chemicals known to the State of California to cause cancer, birth defects of other reproductive harm.

Notification status:

USA: All components of this product are included on the TSCA Chemical Inventory or are not required to be listed on the TSCA Chemical I inventory.

Canada: All components of this product are included on the Domestic Substances List (DSL) or are not required to be listed on the DSL.

European Union (EU): All components of this product are included on the European Inventory of Existing Chemical Substances (EINECS) or are not required to be listed on EINECS.

Australia: All components of this product are included in the Australian Inventory of Chemical Substances(AICA) or are not required to be listed on AICS.

China: All components of this product are included on the Chinese inventory or are not required to be listed on the Chinese Inventory.

Japan: All components of this product are included on the Japanese (ENCS) inventory or are not required to be listed on the Japanese Inventory.

Korea: All components of this product are included on the Korean (ECL) inventory or are not required to be listed on the Korean inventory

New Zealand: This product's New Zealand Inventory of Chemical Substances (NZIoC) status has NOT been determined.

Philippines: All components of this product are included on the Philippine (PICCS) inventory or are not required to be listed on the Philippine inventory.

Taiwan: This product's Taiwan Toxic Chemical Substances Control Act Inventory status has NOT been determined.

OTHER INFORMATION

NFPA HAZARD RATING (National Fire Protection Association)

Health 2- Materials that, under emergency conditions, can cause temporary incapacitation or residual injury.

Fire 1 – Materials that must be preheated before ignition can occur.

Reactivity 0 –Materials that in themselves are normally stable, even under fire exposure conditions.

HMIS Rating:

Health: 1

Flammability: 1

Reactivity: 0

Training advice: Read the Safety Data Sheet before using the product.

DATE ISSUED: 04/07/2015

DATE REVISED: 04/07/2015

Revision number: 0

OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This information is for the specific material described only and may not be valid if the material is used in combination with any other materials or in any process. The user is responsible to determine the completeness of the information and suitability for the user's own particular use. The knowledge and belief of the company, the information is accurate and reliable as of the date indicated but the company makes no express or implied warranty of merchantability for the material or the information. The company makes no express or implied warranty of fitness for a purpose for the material or for the information. Users of any chemical should educate themselves on all aspects of its use by independent investigation of current scientific and medical knowledge that the material can be used safely. Both the supplier and manufacturer make no representations and assume no liability for any direct, incidental or consequential damages resulting from its use. Both the supplier and manufacturer make no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This information is for the specific material described only and may not be valid if the material is used in combination with any other materials or in any process. The user is responsible to determine the completeness of the information and suitability for the user's own particular use. Users of any chemical should educate themselves on all aspects of its use by independent investigation of current scientific and medical knowledge that the

material can be used safely. The buyer assumes all responsibility for using and handling the product in accordance with applicable federal, state and local regulations.

List of abbreviations and acronyms that could be, but not necessarily are, used in the safety data sheet:

ACGIH: American Conference of Industrial Hygienists
BEI: Biological Exposure Index
CAS Chemical: Abstracts Service (Division of the American Chemical Society)
CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act
CMR: Carcinogenic, Mutagenic or Toxic for Reproduction
DOT: Department of Transportation
FG: Food grade
FIFRA: Federal Insecticide, Fungicide, and Rodenticide Act
GHS: Globally Harmonized System of Classification and Labeling of Chemicals
H-statement: Hazard Statement
HMIRC: Hazardous Materials Information Review Commission
HMIS: Hazardous Materials Identification System
IATA: International Air Transport Association
IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA)
ICAO: International Civil Aviation Organization
ICAO-TI (ICAO): Technical Instructions by the "International Civil Aviation Organization"
IMDG: International Maritime Code for Dangerous Goods
ISO: International Organization for Standardization
logPow: octanol-water partition coefficient
LC_{xx}: Lethal Concentration, for xx percent of test population
LD_{xx}: Lethal Dose, for xx percent of test population
IC_{xx}: Inhibitory Concentration for xx of a substance
EC_{xx}: Effective Concentration of xx
N.O.S.: Not otherwise specified
NFPA: National Fire Protection Association
NIOSH: National Institute for Occupational Safety and Health
OECD: Organization for Economic Co-operation and Development
OEL: Occupational Exposure Limit
OSHA: Occupational Safety and Health Administration
P-Statement: Precautionary Statement
PBT: Persistent, Bioaccumulative and Toxic
PMRA: Health Canada Pest Management Regulatory Agency
PPE: Personal Protective Equipment
RTK: Right to Know
SDS: Safety Data Sheet
STEL: Short-term exposure limit
STOT: Specific Target Organ Toxicity
TLV: Threshold Limit Value
TWA: Time-weighted average
VPVB: Very Persistent and Very Bioaccumulative
WEL: Workplace Exposure Level
WHMIS: Workplace Hazardous Materials Information System