



Solve 1824

Safety Data Sheet

Date Issued: 05/09/2018

Date Revised: 05/03/2017

1. IDENTIFICATION OF SUBSTANCE/MIXTURE AND OF COMPANY/UNDERTAKING

PRODUCT NAME: **SOLVE 1824**

Use of the Substance/mixture: Flocculating agent.

Recommended restrictions on use: There are no uses advised against.

COMPANY: WaterSolve, LLC, 5031 68th St. S.E. Caledonia, MI 49316, USA

For Product information call 616-575-8693.

For Chemical Emergency Spill, Leak, Fire, Exposure, or Accident

Call CHEMTREC Day or Night

Within USA and Canada: 1-800-424-9300

Outside USA and Canada: +1 703-527-3887 (collect calls accepted)

2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

The material is not hazardous under the criteria of the Federal OSHA Hazard Communication Standard's (29CFR 1910.1200) implementation of the Globally Harmonized System (GHS), i.e., material is not a dangerous substance or mixture requiring GHS classification according to the US GHS regulations.

GHS-Labeling: Product is not hazardous under US GHS.

Other hazards which do not result in classification

Advice: Contaminated surfaces will be extremely slippery.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substances/Mixtures

Chemical nature

Cationic polyacrylamide, emulsion.

Hazardous components

CHEMICAL NAME	CAS-NO.	CONCENTRATION %
Distillates (petroleum), hydrotreated light	064742-47-8	3 - 5 %

4. FIRST AID MEASURES

Description of first aid measures

Ingestion: If swallowed, call a poison control center or doctor immediately. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person.

Skin contact: Wash off immediately with plenty of water removing all contaminated clothes and shoes. Wash clothing before reuse. Get medical attention if irritation develops and persists.

Eye contact: Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

Inhalation: Remove to fresh air. If breathing is difficult, give oxygen. If symptoms persists, call a physician.

Most important symptoms and effects, both acute and delayed.

5. **FIRE FIGHTING MEASURES**

Suitable Extinguishing Media: Use water spray, carbon dioxide (CO₂), or dry chemical.

Special Hazards arising from the substance or mixture: Cool closed containers exposed to fire with water spray.

Special protective actions for fire-fighters: Wear full firefighting protective clothing and self-contained breathing apparatus. For personal protection see Section 8.

Further information: In the event of fire, cool tanks with water spray.

6. **ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures

Where the exposure level is not known, wear approved, positive pressure, self-contained respirator. Where the exposure level is known, wear approved respirator suitable for the level of exposure. Use protective shoes or boots with rough rubber sole. Refer to protective measures listed in sections 7 and 8.

Environmental precautions

Prevent product from entering the environment.

Methods and materials for containment and cleaning up

Hazard of slipping on spilt product. Soak up with inert absorbent material. Shovel into suitable container for disposal. Flush with water. Use detergent if needed.

7. **HANDLING AND STORAGE**

Precautions for safe handling

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with eyes, skin and clothing. Wash thoroughly after handling.

Conditions for safe storage, including any incompatibilities

To avoid product degradation and equipment corrosion, do not use iron, copper or aluminum containers or equipment.

Materials for packaging:

Unsuitable material: To avoid product degradation and equipment corrosion, do not use iron, copper or aluminum containers or equipment.

Material to avoid:

Strong oxidizing agents. To avoid product degradation and equipment corrosion, do not use iron, copper or aluminum containers or equipment.

Storage stability:

Other data: Store at room temperature in the original container.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Components with workplace control parameters**

Components	CAS-No.	Value	From of exposure	Control parameters	Update	Basis
Distillates (petroleum), hydrotreated light	64742-47-8		Vapour	197 ppm 1,200 mg/m ³		
		TWA		200 mg/m ³	2006-11-29	CA BC OEL

Appropriate Engineering controls:

Where a closed system is not used, good enclosure and local exhaust ventilation should be provided to minimize the exposure. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin and eyes. Do not breathe vapours, aerosols. Ensure adequate ventilation. Wash hands before breaks and immediately after handling the product. Ensure that eyewash stations and safety showers are close to workstation location.

Wash hands before breaks and immediately after handling the product. Wash hands before eating, drinking, or smoking. Keep away from food and drink. Keep away from tobacco products.

Individual protection measures, such as personal protective equipment**Respiratory protection:**

Where exposures are below the established exposure limit, no respiratory protection is required. Where exposures exceed the established limit, use respiratory protection recommended for the material and level of exposure.

Hand protection

Glove material: Chemical resistant gloves. Permeability tests are not available for this product.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Gloves should be removed and replaced immediately if there is any indication of degradation or chemical breakthrough.

Eye protection:

Tightly fitting safety goggles or face-shield. Ensure that eyewash equipment and safety shower are close to the workstation location.

Skin and body protection:

Avoid skin contact. Protective clothing.

Environmental exposure controls: No data available.

9. PHYSICAL AND CHEMICAL PROPERTIES**Information on basic physical and chemical properties**

Physical state:	liquid, viscous
Odor:	hydrocarbon-like
Color:	opaque, green, to, milky, white
Melting point/range:	< -6.70°C
Freezing point:	20°F
Initial Boiling Point/Range:	approx. 212 °F
Flash point:	>201°F closed cup (Pensky-Martens)
Vapor Pressure:	< 13.33 hPa (77°F)
Density:	1.01 g/cm ³ (77°F)
pH:	6 – 8 (as aqueous solution)
Solubility in Water:	Limited by viscosity
Explosive properties	
Lower explosion limits:	No data available

Upper explosion limits: No data available
Decomposition temp: No data available
Partition coefficient:
n-octanol/water: No data available
Surface tension: Not determined

10. STABILITY AND REACTIVITY

Reactivity

Chemical stability

Possibility of hazardous reactions

Hazardous reactions: None known.

Conditions to avoid

Conditions to avoid: None known.

Incompatible materials

Materials to avoid: Strong oxidizing agents.

To avoid product degradation and equipment corrosion, do not use iron, copper or aluminum containers or equipment.

Hazardous decomposition products

Hazardous decomposition: Products: Carbon dioxides (CO₂), carbon monoxide (CO), Ammonia, Nitrogen oxides (NO_x), hydrogen chloride (HCl)

Thermal decomposition: No data available

11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

Acute oral toxicity LD50/Rat/> 5,000 mg/kg Remarks: estimated

Acute oral toxicity **Distillates (petroleum), hydrotreated light:**
LD50/Rat: > 5,000 mg/kg

Acute inhalation toxicity LC50/rat/4h/>20 mg/l Remarks: estimated

Acute inhalation toxicity **Distillates (petroleum), hydrotreated light:**
LC50/Rat/4h/ >5.2 mg/l

Acute dermal toxicity LD50/Rabbit/> 2,000 mg/kg Remarks: estimated

Acute dermal toxicity **Distillates (petroleum), hydrotreated light:**
LD50/Rabbit/> 2,000 mg/kg

Skin corrosion/irritation Remarks: The toxicological data has been taken from products of similar composition.
Conclusion: Irritating to skin.

Serious eye damage /eye irritation Remarks: The toxicological data has been taken from products of similar composition.
Conclusion: No eye irritation.

Respiratory or skin sensitization

Skin sensitization Conclusion: Not sensitizing.

Skin sensitization

Distillates (petroleum), hydrotreated light:

Conclusion: This substance is not classified as a sensitizer.

Germ cell mutagenicity

Genotoxicity in vitro:

Distillates (petroleum), hydrotreated light:

Conclusion: No known effect.

Genotoxicity in vivo:

Distillates (petroleum), hydrotreated light:

Conclusion: Not mutagenic

Carcinogenicity

Carcinogenicity

Distillates (petroleum), hydrotreated light:

Not classified by IARC or NTP.

Reproductive toxicity

Toxicity for reproduction:

Distillates(petroleum),hydrotreated light:

Conclusion: Did not show teratogenic effects in animal experiments.

12. ECOLOGICAL INFORMATION

Ecotoxicity effects

Aquatic toxicity

LC50/96h/Fathead minnow (*Pimephales promelas*): 26 mg/l

Remarks: Ecotoxicological information provided is based on a structurally or compositionally similar product.

LC50/48h/Water flea(*Daphnia magna*): 7.9 mg/l

Toxicity to other organisms:

No data available

Persistence and degradability:

Biological degradability:

Remarks: No data available

Bioaccumulative potential:

Partition coefficient: n-octanol/water: No data available.

Distillates (petroleum), solvent-dewaxed heavy paraffinic:

Bioaccumulation is unlikely.

Mobility in soil

Vapour pressure: < 13.33 hPa (77°F)

Water solubility: Limited by viscosity.

Surface tension: Not determined

Other adverse effects

No data available

Additional ecological information: Ecotoxicological information provided is based on a structurally or compositionally similar product.

13. DISPOSAL CONSIDERATIONS

Product

Recycling, recovery and reuse of materials is recommended if permitted by regulations. If recycling is not practicable, dispose of in compliance with local regulations. Incineration is recommended.

EPA Hazardous Waste- NO

Contaminated packaging

Packages that cannot be cleaned must be disposed of the same way as the unused product.

14. TRANSPORT INFORMATION

Land transport

Not classified as dangerous in the meaning of transport regulations.

Store between 5-30°C

Protect from frost.

Keep away from direct sunlight.

Sea Transport

Not classified as dangerous in the meaning of transport regulations.

Store between 5-30°C

Protect from frost.

Keep away from direct sunlight.

Air transport

Not classified as dangerous in the meaning of transport regulations.

Store between 5-30°C

Protect from frost.

Keep away from direct sunlight.

Special precautions for user

None known.

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

SARA Title III Section 311 Categories:

Immediate (Acute) Health Effects: Yes

Delayed (Chronic) Health Effects: No

Fire Hazard: No

Sudden Release of Pressure Hazard: No

Reactivity Hazard: No

SARA 302 Extremely Hazardous Substances

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

None present

SARA 313- Specific Toxic chemical Listings

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

None present.

California Proposition 65

Acrylamide (79-06-1) < 0.1 %

Remarks: This product contains a chemical or chemicals known to the State of California to cause cancer, birth defects or other reproductive harm.

Other regulations: No information available.

Notification status:

All components of this product are included on the United States TSCA Chemical Inventory or are not required to be listed on the United States TSCA Chemical Inventory.

All components of this product are included on the Canada Domestic Substances List (DSL) or are not required to be listed on the Canada Domestic List (DSL).

All components of this product are included on the European Inventory of Existing Chemical Substances (EINECS) or are not required to be listed on EINECS.

All components of this product are included in the Australian Inventory of Chemical Substances(AICS) or are not required to be listed on the Australian Inventory of Chemical Substances (AICS).

All components of this product are included on the Chinese inventory or are not required to be listed on the Chinese Inventory.

All components of this product are included on the Japanese (ENCS) inventory or are not required to be listed on the Japanese (ENCS) Inventory.

All components of this product are included on the Korean (ECL) inventory or are not required to be listed on the Korean (ECL) inventory

All components of this product are included on the Philippine (PICCS) inventory or are not required to be listed on the Philippine (PICCS) inventory.

16. **OTHER INFORMATION**
NFPA HAZARD RATING (National Fire Protection Association)

Health 1

Fire 1

Reactivity 0

HMIS Rating:

Health: 2

Flammability: 1

Reactivity: 0

Training advice: Read the Safety Data Sheet before using the product.

DATE ISSUED: 05/09/2018

DATE REVISED: 05/03/2017

OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This information is for the specific material described only and may not be valid if the material is used in combination with any other materials or in any process. The user is responsible to determine the completeness of the information and suitability for the user's own particular use. The knowledge and belief of the company, the information is accurate and reliable as of the date indicated but the company makes no express or implied warranty of merchantability for the material or the information. The company makes no express or implied warranty of fitness for a purpose for the material or for the information. Users of any chemical should educate themselves on all aspects of its use by independent investigation of current scientific and medical knowledge that the material can be used safely. Both the supplier and manufacturer make no representations and assume no liability for any direct, incidental or consequential damages resulting from its use. Both the supplier and

manufacturer make no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This information is for the specific material described only and may not be valid if the material is used in combination with any other materials or in any process. The user is responsible to determine the completeness of the information and suitability for the user's own particular use. Users of any chemical should educate themselves on all aspects of its use by independent investigation of current scientific and medical knowledge that the material can be used safely. The buyer assumes all responsibility for using and handling the product in accordance with applicable federal, state and local regulations.

List of abbreviations and acronyms that could be, but not necessarily are, used in the safety data sheet:

ACGIH: American Conference of Industrial Hygienists
BEI: Biological Exposure Index
CAS Chemical: Abstracts Service (Division of the American Chemical Society)
CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act
CMR: Carcinogenic, Mutagenic or Toxic for Reproduction
DOT: Department of Transportation
FG: Food grade
FIFRA: Federal Insecticide, Fungicide, and Rodenticide Act
GHS: Globally Harmonized System of Classification and Labeling of Chemicals
H-statement: Hazard Statement
HMIRC: Hazardous Materials Information Review Commission
HMIS: Hazardous Materials Identification System
IATA: International Air Transport Association
IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA)
ICAO: International Civil Aviation Organization
ICAO-TI (ICAO): Technical Instructions by the "International Civil Aviation Organization"
IMDG: International Maritime Code for Dangerous Goods
ISO: International Organization for Standardization
logPow: octanol-water partition coefficient
LCxx: Lethal Concentration, for xx percent of test population
LDxx: Lethal Dose, for xx percent of test population
ICxx: Inhibitory Concentration for xx of a substance
ECxx: Effective Concentration of xx
N.O.S.: Not otherwise specified
NFPA: National Fire Protection Association
NIOSH: National Institute for Occupational Safety and Health
OECD: Organization for Economic Co-operation and Development
OEL: Occupational Exposure Limit
OSHA: Occupational Safety and Health Administration
P-Statement: Precautionary Statement
PBT: Persistent, Bioaccumulative and Toxic
PMRA: Health Canada Pest Management Regulatory Agency
PPE: Personal Protective Equipment
RTK: Right to Know
SDS: Safety Data Sheet
STEL: Short-term exposure limit
STOT: Specific Target Organ Toxicity
TLV: Threshold Limit Value
TWA: Time-weighted average
VPVB: Very Persistent and Very Bioaccumulative
WEL: Workplace Exposure Level
WHMIS: Workplace Hazardous Materials Information System