



Solve 9350

Safety Data Sheet

Date Issued: 10/20/2020

Date Revised: 07/31/2020

1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier: Solve 9350
Company Identification: WaterSolve, LLC
5031 68th Street
Caledonia, Michigan 49316, USA
For Product Information: 616-575-8693
For Chemical Emergency Spill, Leak, Fire, Exposure, or Accident
Call CHEMTREC Day or Night
Within USA and Canada: 1-800-424-9300
Outside USA and Canada: +1 703-527-3887 (collect calls accepted)

Recommended use of the chemical and restrictions on use

2. HAZARDS IDENTIFICATION

GHS classification in accordance with 29 CFR 1910.1200

This material is not considered hazardous under the OSHA Hazard communication Standard (HazCom 2012)

GHS label elements

This material is not considered hazardous under the OSHA Hazard Communication Standard (HazCom 2012)

Other hazards

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance/Mixture: Mixture

Chemical nature: Static Accumulator

Hazardous or Regulated Components

Chemical Name	CAS#	Classification	CONCENTRATION %
ALIPHATIC HYDROCARBON	Trade Secret	Flam. Liq. 4; H227 Asp. Tox. 1; H304	>=20.00 - < 30.00
POLYOXYETHEYLENE ISOTRIDECYL ETHER	Trade Secret	Acute Tox. 4; H302 Eye Irrit. 2A; H319	>= 1.00 - <1.50

4. FIRST AID MEASURES

General Advice: No hazards which require special first aid measures;

If swallowed: Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.

In case of Skin Contact: First aid is not normally required. However, it is recommended that exposed areas be cleaned by washing with soap and water.

In case of Eye Contact: Flush eyes with water as a precaution. Remove contact lenses. Protect unharmed eye. If eye irritation persists, consult a specialist.

If Inhalation: If breathed in, move person into fresh air. If unconscious place in recovery position and seek medical advice. If symptoms persist, call a physician.

Most important symptoms and effects, both acute and delayed: No symptoms known or expected.

Notes to physician: No hazards which require special first aid measures.

5. FIRE FIGHTING MEASURES

Suitable Extinguishing Media: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Water spray, foam, carbon dioxide (CO₂) or dry chemical.

Unsuitable extinguishing media: High volume water jet.

Specific hazards during firefighting: Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products: Carbon dioxide (CO₂), carbon monoxide, Hydrocarbons, Nitrogen oxides (NO_x), toxic fumes

Specific extinguishing methods: Product is compatible with standard fire-fighting agents.

Further information: Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Special Protective Equipment for fire-fighters:
In the event of fire, wear self-contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures:

Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed. Comply with all applicable federal, state and local regulations.

Environmental precautions:

Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up:

Soak up with inert absorbent material, (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Advice on protection against fire and explosion: Normal measures for preventive fire protection.

Advice on safe handling: Container hazardous when empty. Smoking, eating and drinking should be prohibited in the application area. For personal protection see section 8. Dispose of rinse water in accordance with local and national regulations.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Electrical installations / working materials must comply with the technological safety standards.

Further information on storage stability : No decomposition if stored and applied as directed.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

COMPONENTS	CAS-No.	Value type (form of exposure)	Control parameters/permissible concentration	Basis
ALIPHATIC HYDROCARBON	Trade Secret	TWA (Mist)	5 mg/m ³	OSHA Z-1
		TWA	200 mg/m ³ (total hydrocarbon vapor)	ACGIH
		TWA (Mist)	5 mg/m ³	OSHA P0
		TWA (Mist)	5 mg/m ³	NIOSH REL
		ST (Mist)	10 mg/m ³	NIOSH REL

Engineering measures:

Provide sufficient mechanical (general and / or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

Personal protective equipment

Hand protection:

Remarks: The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection

Not required under normal conditions of use. Wear splash-proof safety goggles if material could be misted or splashed into eyes.

Skin and body protection

Wear resistant gloves (consult your safety equipment supplier).

Wear as appropriate impervious clothing, safety shoes. Choose body protections according to the amount and concentration of the dangerous substances at the work place.

Hygiene measures: Wash hands before breaks and at the end of the workday.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	liquid
Color:	milky, white
Odor:	hydrocarbon-like
Odour threshold:	No data available
pH:	7-8
	Concentration: 0.5 % (as aqueous solution)
Melting point/freezing point:	Not applicable
Boiling Point boiling range:	No data available

Flash point:	> 200.1°F/ >93.4°C Method: Pensky Martens closed cup
Evaporation Rate:	<1 n-Butyl Acetate
Flammability (solid, gas):	No data available
Self-ignition:	Does not ignite
Upper Explosion limit:	No data available
Lower Explosion limit:	No data available
Vapor Pressure:	No data available
Relative vapor density:	No data available
Density:	1.13 g/cm ³ (77°F / 25°C)
Solubility in Water:	soluble
Solubility in other solvents:	No data available
Partition coefficient (n-octanol/water):	No data available
Thermal decomposition:	No data available
Viscosity, dynamic	No data available
Viscosity, kinematic	> 21 mm ² /s (104°F / 40°C) Based on similar product information
Oxidizing properties:	No data available

10. STABILITY AND REACTIVITY

Reactivity:	No decompositions if stored and applied as directed.
Chemical Stability:	Stable under recommended storage conditions.
Possibility of Hazardous reactions:	Product will not undergo hazardous polymerization.
Conditions to avoid:	Protect from frost, heat, flames and sparks.
Incompatible Materials:	strong acids, strong oxidizing agents, halogens, strong reducing agents.
Hazardous decomposition products:	Carbon dioxide (CO ₂), carbon monoxide, hydrocarbons, Nitrogen oxides (NO _x)

11. TOXICOLOGICAL INFORMATION

Acute toxicity:

Not classified based on available information.

Product

Acute oral toxicity: Acute toxicity estimate: >5,000 mg/kg
Method: Calculation method

Acute dermal toxicity: Acute toxicity estimate: >5,000 mg/kg
Method: Calculation method

Components:

ALIPHATIC HYDROCARBON:

Acute oral Toxicity: LD 50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity: LD 50 (Rat, male and female): > 5.28 mg/l
Exposure time: 4 hr.
Test atmosphere: vapour
Method: OECD Test Guideline 403

Assessment: No adverse effect has been observed in acute inhalation toxicity tests.

Acute dermal toxicity: LD 50 (Rabbit): > 2,000 mg/kg
Assessment: No adverse effect has been observed in acute dermal toxicity tests.

ALKANOL POLYALKOXYLATE

Acute oral toxicity: LD 50 Rat: 1,940 mg/kg
Acute dermal toxicity: LD 50 (Rat): > 2,000 mg/kg

Skin corrosion/irritation:

Not classified based on available information.

Product:

Remarks: May cause skin irritation with susceptible persons.

Result: Repeated exposure may cause skin dryness or cracking.

Components:

ALIPHATIC HYDROCARBON

Result: Mildly irritating to skin.

ALKANOL POLYALKOXYLATE

Result: Not irritating to skin

Serious eye damage/eye irritation:

Not classified based on available information.

Product:

Remarks: May cause eye or skin irritation with susceptible persons.

Remarks: Unlikely to cause eye irritation or injury.

Components:

ALIPHATIC HYDROCARBON

Result: Mildly irritating to eyes.

ALKANOL POLYALKOXYLATE:

Result: Irritating to eyes.

Respiratory or skin sensitization:

Skin sensitization:

Not classified based on available information

Respiratory sensitization:

Not classified based on available information

Germ cell mutagenicity:

Not classified based on available information

Carcinogenicity:

Not classified based on available information

IARC: No component of this product presents at levels greater than or equal to 0.1 % is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1 % is on OSHA's list of regulated carcinogens.

NTP: No component of this product presents at levels greater than or equal to 0.1 % is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity:

Not classified based on available information

STOT – single exposure:

Not classified based on available information

STOT – repeated exposure:

Not classified based on available information

Aspiration toxicity:

Not classified based on available information.

Components:

ALIPHATIC HYDROCARBON

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

Further information

Product

Remarks: No data available

12. ECOLOGICAL INFORMATION

Ecotoxicity

Product

Toxicity to fish: LC50 (Pimephales promelas (fathead minnow)): 56.1 ,g/l
Exposure time: 96h
Method: OECD Test Guideline 203

Toxicity to daphnia and other

Aquatic invertebrates: EC50 (Daphnia magna (Water flea)): 0.33 mg/l
Exposure time: 48h
Method: OECD Test Guideline 202

Ecotoxicology Assessment

Acute aquatic toxicity: Acute aquatic toxicity Category 1; Very toxic to aquatic life

Chronic aquatic toxicity: Not classified based on available information.

Components:

ALIPHATIC HYDROCARBON

Ecotoxicology Assessment

Acute aquatic toxicity: No toxicity at the limit of solubility

Chronic aquatic toxicity: No toxicity at the limit of solubility

ALKANOL POLYALKOXYLATE

Toxicity to fish: LC 50 (Danio rerio (Zebra fish)): 1 - 10 mg/l
Exposure time: 96hr.

Toxicity of daphnia and other

Aquatic invertebrates: EC50 (Water flea (Daphnia magna)): 5-10 mg/l
Exposure time: 48hr.

Toxicity to microorganisms EC 50: >1,000 mg/l

Persistence and degradability

Components:

ALKANOL POLYALKOXYLATE

Biodegradability: Biodegradation: 50-70%
 Exposure time: 28d

Chemical Oxygen Demand (COD): 2,170 mg/l
 Method: Chemical Oxygen demand

Dissolved organic carbon (DOC): 540 mg/g

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects:

Product:

Additional ecological information: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

13. DISPOSAL CONSIDERATIONS

Disposal methods:

Waste from residues: Dispose of in accordance with all applicable local, state and federal regulations. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company.

Contaminated packaging: Empty remaining contents. Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers.

14. TRANSPORT INFORMATION

International Regulations

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II or MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

49CFR

Not regulated as a dangerous good

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. **REGULATORY INFORMATION**

EPCRA - Emergency Planning and Community Right-to-Know Act

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312

No SARA Hazards

SARA 313

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

California Prop. 65-

Proposition 65 warnings are not required for this product based on the results of a risk assessment.

The components of this product are reported in the following inventories:

TSCA:	On TSCA Inventory
DSL:	All components of this product are on the Canadian DSL.
TCSI:	On the inventory, or in compliance with the inventory.
ENCS:	Not in compliance with the inventory.
KECI:	On the inventory, or in compliance with the inventory.
PICCS:	On the inventory, or in compliance with the inventory.
IECSC:	On the inventory, or in compliance with the inventory.
AICS:	On the inventory, or in compliance with the inventory.

TSCA list

No substances are subject to a new Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

16. **OTHER INFORMATION**

Full text of H-Statements

H227	Combustible liquid.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H319	Causes serious eye irritation.

Full text of other abbreviations

Acute Tox.	Acute toxicity
Asp. Tox.	Aspiration hazard
Eye Irrit.	Eye irritation
Flam. Liq.	Flammable liquids
ACGIH	USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL	USA. NIOSH Recommended Exposure Limits
OSHA P0	USA. OSHA – TABLE Z-1 Limits for Air Contaminants – 1910.1000
OSHA Z-1	USA. Occupational Exposure Limits (OSHA) – Table Z-1 Limits for Air Contaminants
ACGIH/TWA	8-hour, time-weighted average
NIOSH REL/TWA	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
NIOSH REL/ST	STEL – 15-minute TWA exposure that should not be exceeded at any time during a workday.

OSHA P0/TWA 8-hour time weighted average
OSHA Z-1/TWA 8-hour time weighted average

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This information is for the specific material described only and may not be valid if the material is used in combination with any other materials or in any process. The user is responsible to determine the completeness of the information and suitability for the user's own particular use. The knowledge and belief of the company, the information is accurate and reliable as of the date indicated but the company makes no express or implied warranty of merchantability for the material or the information. The company makes no express or implied warranty of fitness for a purpose for the material or for the information. Users of any chemical should educate themselves on all aspects of its use by independent investigation of current scientific and medical knowledge that the material can be used safely. Both the supplier and manufacturer make no representations and assume no liability for any direct, incidental or consequential damages resulting from its use. Both the supplier and manufacturer make no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This information is for the specific material described only and may not be valid if the material is used in combination with any other materials or in any process. The user is responsible to determine the completeness of the information and suitability for the user's own particular use. Users of any chemical should educate themselves on all aspects of its use by independent investigation of current scientific and medical knowledge that the material can be used safely. The buyer assumes all responsibility for using and handling the product in accordance with applicable federal, state and local regulations.

List of abbreviations and acronyms that could be, but not necessarily are, used in the safety data sheet:

ACGIH: American Conference of Industrial Hygienists
BEI: Biological Exposure Index
CAS: Chemical Abstracts Service (Division of the American Chemical Society)
CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act
CMR: Carcinogenic, Mutagenic or Toxic for Reproduction
DOT: Department of Transportation
FG: Food grade
FIFRA: Federal Insecticide, Fungicide, and Rodenticide Act
GHS: Globally Harmonized System of Classification and Labeling of Chemicals
H-statement: Hazard Statement
HMIRC: Hazardous Materials Information Review Commission
HMIS: Hazardous Materials Identification System
IATA: International Air Transport Association
IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA)
ICAO: International Civil Aviation Organization
ICAO-TI (ICAO): Technical Instructions by the "International Civil Aviation Organization"
IMDG: International Maritime Code for Dangerous Goods
ISO: International Organization for Standardization
logPow: octanol-water partition coefficient
LC_{xx}: Lethal Concentration, for xx percent of test population
LD_{xx}: Lethal Dose, for xx percent of test population
IC_{xx}: Inhibitory Concentration for xx of a substance
EC_{xx}: Effective Concentration of xx
N.O.S.: Not otherwise Specified
NFPA: National Fire Protection Association
NIOSH: National Institute for Occupational Safety and Health
OECD: Organization for Economic Co-operation and Development
OEL: Occupational Exposure Limit
OSHA: Occupational Safety and Health Administration
P-Statement: Precautionary Statement
PBT: Persistent, Bioaccumulative and Toxic
PMRA: Health Canada Pest Management Regulatory Agency
PPE: Personal Protective Equipment
RTK: Right to Know
STEL: Short-term exposure limit
SDS: Safety Data Sheet
STOT: Specific Target Organ Toxicity
TLV: Threshold Limit Value
TWA: Time-weighted average
VPVB: Very Persistent and Very Bioaccumulative
WEL: Workplace Exposure Level
WHMIS: Workplace Hazardous Materials Information System
(WAF): water-accommodated fraction